

Dedicated to People Flow™



FOR KONE POLARIS DESTINATION CONTROL SYSTEM (DCS) ELEVATORS

KSS 800 and KSS 900 signalization

KSS 800 series signalization for KONE Polaris DCS elevators

Touchscreen destination operating panel (DOP)



KSP 858


KSP 858 also available with pedestal

Destination operating panel (DOP)
Surface mounted (on wall)



KSP 853

Elevator identifier (EID)



KST 850
Passive

KST 860
Active

Jamb-mounted destination indicator (JM DIN)*



KSJ 853



33 mm
(width)




KSJ 863



50 mm
(width)

* Available only with traditional DCS


Car operating panel (COP) for **Traditional DCS**



KSC 853
Partial height

KSC 863
Full height

Car operating panel (COP) for **Hybrid DCS**



EN81-70
compliant option:
For elevators
serving more than
21 floors, two
COPs are needed.

KSC D23
Partial height
(scrolling dot-matrix)¹

KSC D43
Full height
(scrolling dot-matrix)¹

Note:

These are the recommended signalization components for Hybrid configurations. For the full KSS D offering, please refer to the KSS D brochure (KONE Design signalization).

For the KONE Access™ solution note:

- ¹) KONE Access™ can be integrated inside the KSC D23 and KSC D43 car operating panels only.
- ²) Only available with scrolling dot-matrix display.

Hall lantern (HL)




KSH D20

Hall indicator (HI)



KSI D42 Horizontal or vertical
(dot-matrix)²

Landing call station with indicator (LCI)



KSL D40



KSL D41 Simplex



KSL D42 Dublex

* **Note:**
The exact height of the COP depends on
the car height and the selected ceiling option.


KSS 900 series signalization for KONE Polaris DCS elevators

Destination operating panel (DOP)
Surface mounted (on wall or on pedestal)



KSP 937
Also available with square buttons (see below)

Elevator identifier (EID)




KST 950
Available in active and passive configurations

Flush mounted (on wall)




KSP 947
Also available with round buttons (see above)

Destination indicator at landing (DIN L)



KSO 957

Touchscreen DOP D-Series
Surface mounted (on wall)



KSP 979L with keypad (white)



KSP 978P (black)

Car operating panel (COP) for **Traditional DCS**



KSC 957**
Full height

KSC 957

↑
Last digit defines the display type

5 = black and white LCD
7 = full-color LCD

Car operating panel (COP) for **Hybrid DCS**



KSC 977
Full height

Landing devices


Hall lantern (HL)



KSH 660




KSH 670¹⁾



KSH 940



KSH 950




KSH 960

Hall indicator (HI)



KSI 673, 675¹⁾



KSI 983

Hall indicator with lantern arrows



KSA 673¹⁾



KSI 977



KSI 987

¹⁾ Also available in vertical configuration.

Landing call station (LCS)



KSL 670



KSL 672 Simplex



KSL 672 Duplex




KSL 970 Flush button

Back box width in all landing call stations is 65 mm.

*** Note:**
The exact height of the COP depends on the car height and the selected ceiling option.

**** KSC 955** also available with black and white display.





Optimized People Flow™

Correct positioning of DOPs in the lobby helps to quickly guide users to their assigned elevator and ensures a smooth flow of people throughout the building. Matching the design of the DOPs with that of the signalization in the elevator cars gives a seamless look and feel, and improves ease of use.

- 1 Destination operating panel (DOP)
- 2 Elevator identifier (EID)



KONE provides innovative and eco-efficient solutions for elevators, escalators, automatic building doors and the systems that integrate them with today's intelligent buildings.

We support our customers every step of the way; from design, manufacturing and installation to maintenance and modernization. KONE is a global leader in helping our customers manage the smooth flow of people and goods throughout their buildings.

Our commitment to customers is present in all KONE solutions. This makes us a reliable partner throughout the life cycle of the building. We challenge the conventional wisdom of the industry. We are fast, flexible, and we have a well-deserved reputation as a technology leader, with such innovations as KONE MonoSpace[®], KONE EcoMod[™] and KONE UltraRope[™].

KONE employs on average 40,000 dedicated experts to serve you globally and locally.

KONE Corporation
www.kone.com